

L-14009-66 EWT(1)/EWT(m)/EWP(j)/EWP(t)/EWP(b) IJP(c) JD/RM

ACC NR: AP6003501 SOURCE CODE: UR/0364/66/002/001/0107/0109

AUTHOR: Yeligulashvili, I. A.; Nakashidze, G. A.; Rozenshteyn, L. D.;
Khatiashvili, A. A.ORG: Institute of Semiconductors, Academy of Sciences SSSR, Leningrad
(Institut poluprovodnikov Akademii nauk SSSR); Institute of Cybernetics, Academy of Sciences GruzSSR (Institut kibernetiki Akademii nauk GruzSSR)

TITLE: Conductivity nonlinearity effects due to charge carrier injections in organic semiconductors

SOURCE: Elektrokhimiya, v. 2, no. 1, 1966, 107-109

TOPIC TAGS: organic semiconductor, anthracene, volt ampere characteristic, cuprous iodide, aluminum, contact effect

ABSTRACT: Research aimed at studying conduction processes associated with charge-carrier injection into organic semiconductors has been started. It is noted that lately a great deal of attention has been paid to the problem of obtaining nonlinear and nonsymmetrical volt-ampere characteristics for organic semiconductors. To this end an organic semiconductor-electrode contact was constructed by applying 2 CuI electrodes, or a CuI and an aluminum electrode by vacuum

Card 1/2

UDC: 621.315.592:547

14009-66

ACC NR: AP6003501

sputtering across single crystals of anthracene. It was found that a nonlinear volt-ampere characteristic is obtained, $i \sim v^n$, where $n = 8-10$, regardless of the nature of the second electrode; the characteristic is symmetrical if the electrodes are both of CuI, and nonsymmetrical if one is CuI and the other Al. At the highest voltage used (~ 500 v), the rectification factor attained 3-5 orders [sic]. It was shown that conductivity is determined by the injection of holes from the CuI electrode into the anthracene crystal, and that injection is increased by illumination of the CuI electrode with monochromatic light of the appropriate wavelength. Orig. art. has: 3 figures. [SM]

SUB CODE: 201 SUBM DATE: 11May65/ ORIG REF: 001/ OTH REF: 006
ATD PRESS: 4196

Card 2/2 *SL*

YELIGULASHVILI, I. S. Dr. Med. Sci.

Dissertation: "Data on Comparative Study of Physiology and Pathology of Pregnancy and Parturition in Lower Monkeys." Acad. Med. Sci. USSR, 9 Jun 47.

SO: Vechernyaya Moskva, Jun, 1947 (Project #17836)

YELIGULASHVILI, I. S.

YELIGULASHVILI, I. S. "Pregnancy and birth in the lower monkeys", (rhesus macaques, 'lapunder' macaques, and 'gamadril' baboons), Trudy Sukhum. biol. stantsii Akad. med. nauk SSSR, Vol. I, 1949, p. 97-120, Bibliog: 12 items.

SO: U-4393, 19 August 53, (Letopis 'Zhurnal 'nykh Statey', No. 22, 1949).

ELIGULASHVILI, I. S.

"Some data on the evolution of the birth canal and the mechanism of parturition of the primates." by Eligulashvili, I. S. (p. 325)

SO: Journal of General Biology (Zhurnal Obshchey Biologii) Vol. X, No. 4, 1949

TELIGULASHVILI, I.S.

Treatment of inflammatory diseases of the female genital system with
extracts of eucaliptus; preliminary report. Sovet.med. No.2:23-24
Feb 51. (CIML 20:6)

1. Doctor Medical Sciences. 2. Sukhumi.

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7

YELIGULASHVILI, I.S., doktor meditsinskikh nauk (Sukhumi)

Conduction of the placental stage. Akush. i gin. no.4:51-52
J1-Ag '54. (MLRA 7:11)
(LABOR,
third stage, conduction)

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7"

IMIGULASHVILI, I.S.

[Pregnancy and labor in monkeys; anatomo-physiological investigation]
Berenennest' i rody u obez'ian; anatomo-fiziologicheskoe issledovanie.
Moskva, Medgiz, 1955. 157 p. (MIRA 9:5)
(MONKEYS) (PREGNANCY) (LABOR (OBSTETRICS))

YELIGULASHVILI, I.S., doktor med.nauk

Stillbirths in the Abkhazian A.S.S.R. and efforts to lower its incidence. Sbor. trud. Med. nauch. ob-vo Abkh. 2:61-69 '59.

(ABKHAZIA--STILLBIRTH)

(MIRA 14:10)

YELIGULASHVILI, I.S., doktor med.nauk

Total and partial gangrene of the pregnant uterus. Akush.i gin.
no.4:120-121 '61. (MIRA 15:5)

1. Glavnyy akusher-ginekolog Ministerstva zdravookhraneniya
Abkhazskoy ASSR.
(PREGNANCY, COMPLICATIONS OF) (UTERUS, PREGNANT---DISEASES)
(GANGRENE)

YELIGULASHVILI, I.S., doktor med.nauk

Extrauterine pregnancy. Sov. med. 25 no.5:7-12 My '61.

(MIRA 14:6)

1. Iz ginekologicheskogo otdeleniya (zav. I.S.Yoligulashvili),
Sukhumskogo rodil'nogo doma (glavnyy vrach T.T.Khubutiy).
(PREGNANCY, EXTRAUTERINE)

YER. T. M. ILLT, F. T.

PA 16T35

USER/Medicine - Malaria
Medicine - Epidemiology

Feb 1947

"Some Data on the Epidemiology of Malaria at Sukhumi
and Environs," K. I. Eligulashvili, 13 pp

"Meditinskaya Parazitologiya" Vol XVI, No 2

Detailed discussion, with tables of data and graphs,
leading to the conclusion that in the Sukhumi area
the greatest danger of epidemics is not only from
stagnant water, but also from cisterns of spring
water for industrial use.

16T35

ELIGULAVSHILI, K. I.

PA 45/49T71

USSR/Medicine - Malaria, Therapy Feb 49
Medicine - Malaria, Diagnosis

"Modern Methods of Malariaotherapy and Diagnosis,"
K. I. Eligulavshili, 5 pp

"Fel'dsher i Akusherka" No 2

Briefly describes some malaria symptoms. Discusses basic methods for treating malarial cases. Gives reasons for more common errors made in treating patients. Gives basic program of care for malarial cases to prevent dissemination of disease.

45/49T71

ELIGULASHVILI, K.I.

Rational methods in eradication of tropical malaria. Feldsher &
akush. No.1:44-47 Jan 51.
(CLML 20:5)

1. Candidate Medical Sciences K.I. Eligulashvili is head of the
Sukhumi Municipal Antimalarial Station.

YELIGULASHVILI, K. I.

Malarial Fever

"Surgical complications in malaria." R. O. Yeolyan. Reviewed by K. I. Yeligulashvili.
Sov. Med. 16 No. 4, 1952.

MONTHLY LIST OF RUSSIAN ACCESSIONS, LIBRARY OF CONGRESS, SEPTEMBER 1952. UNCLASSIFIED.

YELIGULASHVILI, K. I.

Malarial Fever - Prevention

Immediate problems of malaria control. Sov. med. 16 no. 4, 1952.

MONTHLY LIST OF RUSSIAN ACCESSIONS, LIBRARY OF CONGRESS, SEPTEMBER 1952. UNCLASSIFIED.

YELIGULASHVILI, K.I.

Results of activities of the Sukhnumsk: municipal anti-malaria station.
Med. parazit., Moskva no.1:92-93 Jan-Feb 1953. (CIML 24:4)

YELIGULASHVILI, R.

Possibility of using precipitation in agar reaction for studying
the antigenic structure of some tissue cultures. Izv.AN Latv.SSR
no.2:83-87 '64.
(MIRA 17:4)

1. Institut mikrobiologii AN Latviyskoy SSR.

GVELESLANI, A.A.; YELIGULASHVILI, R.S., red.

[Principal stages in the development of Soviet commerce in Georgia]
Osnovnye etapy razvitiia sovetskoi torgovli v Gruzii. Tbilisi,
Izd-vo M-va torgovli Gruzinskoi SSR, 1958. 231 p. (MIRA 13:8)
(Georgia--Commerce)

YELIKEYEV, S.G.

COUNTRY	: USSR
CATEGORY	: Cultivated Plants. Commercial. Oleiferous. Sugar-Bearing. M
ARG. JOUR.	: KZBiol., No. 4, 1959, No. 15771
AUTHOR	: Zubkov, D.P.; Chertkanyy, V.A.; Yelikeyev, S.G.
INST.	:
TITLE	: Summer Sowings of Maternal Sugar Beets
ORIG. PUR.	: Skharnaya prom-st', 1958, No.2, 58-60
ABSTRACT	: In the conditions of Kirgiz SSR the best date for sowing maternal sugar beets is the end of May to the first decade of June (the so-called summer sowing). Sowing in this period yields higher quality planting material. The crop of beets grown from seeds derived from maternal beet of the summer sowing is 7 to 9 % higher than the crop of beets grown from seeds of maternal roots of the spring sowing. With summer sowing the spacing is more dense (at 8 to 10 and even at 5 to 6 cm) with the uniformity of plantings being observed without fail.
Card:	-- G.Yu. Dinesmen 1/1

YELIKOV, Ivan Il'ich; MIKHALENKOV, S.P., otv.red.; GRISHAYENKO, M.I.,
red.izd-va; KONDRA'TYEVA, M.A., tekhn.red.

[Safety engineering in coal and shale mines] Tekhnika bez-
opasnosti v ugol'nykh i slantsevykh shakhtakh. Moskva, Gos.
nauchno-tekhn.izd-vo lit-ry po gornomu delu, 1960. 263 p.

(Mining engineering--Safety measures) (MIRA 13:12)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7"

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7

the air consumption during subcritical evacuation (7), and the time of subcritical evacuation (8). All these formulas are given below.

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7"

416000-66 EMT(1)/EEC(k)-2/EWA(h)
ACC-NR: AT5028813

SOURCE CODE: UR/2563/65/000/250/0034/0040

AUTHOR: Kukushkin, A. P.; Yelimelekh, I. M.

ORG: Leningrad Polytechnic Institute im. M. I. Kalinin (Leningradskiy politekhnicheskiy institut)

TITLE: The calculation of filling time of ²⁵pneumatic systems with small working volumes

SOURCE: Leningrad. Politekhnicheskiy institut. Trudy, no. 250, 1965. Avtomatizatsiya i tekhnologiya mashinostroyeniya (Automation and technology of machinery manufacture), 34-40

TOPIC TAGS: pneumatic device, approximation calculation

ABSTRACT: The customary evaluation of the filling time of a pneumatic system consisting of a distributor valve, working cylinder, and connecting air piping is carried out usually by simply adding the volume of the piping to the subpiston volume and thus establishing an overall "dead volume." However, this assumption which simplifies the calculation to a considerable degree but disregards local resistances is justifiable only when the volume of the piping is small compared to the subpiston region. Experiments using a methodology described earlier (B. N. Bezhakov, A. P. Kukushkina, Trudy LPI No 233, Avtomatizatsiya i tekhnologiya mashinostroyeniya, 1964, pp 59-68) showed that while the filling time with an added resistance near the end of the air pipe was close to the time without such a resistance, the filling time with the same added resistance at the input to the pipe increased

Card 1/2

ACC NR: AT5028813

by a factor of 1.5. Consequently, the present authors developed a new method of filling time calculation by splitting the volume into a sequence of "concentrated" volumes incorporating a varying degree of resistance. A comparison of the theoretical results calculated following the customary and the new method with the results of experiments showed that the errors were of the order of 80% and 20% for the two theoretical methods, respectively. Orig. art. has: 19 formulas and 3 figures.

SUB CODE: 13, 14 / SUBM DATE: none / ORIG REF: 003

FW
Card 2/2

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7

YELIN, A.; KHARIN, Yu.

High trade-mark. Sov.mor. 16 no.17;4-5 8 '56.
(Tractors)

(MLRA 9:12)

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7"

YELIN, A.; SELYAKOV, M.; VISKIN, S.; LOJKO, N.; BUKH GALTER, B.;
VORONKOV, I.; SPERANSKIY, N.

Improvement of planning in the meat industry. Mias. ind.
SSSR 32 no.4:33-37 '61. (MIRA 14:9)

1. Astrakhanskiy myasokombinat (for Yelin).
2. Kazgipromyas-
- omolprom (for Selyakov).
3. Khar'kovskiy myasokombinat (for Viskin).
4. Leninskiy myasokombinat (Kemerovskiy sovnarkhoz) (for Bukhgalter).
5. Novgorodskiy myasokombinat (for Voronkov).
6. Buryatskiy sovnarkhoz (for Speranskiy).

(Meat industry)

SMIRNOV, Sergey Mikhaylovich, kand. tekhn. nauk, dots.; GIVIN,
Vladislav Vol'demarovich; YELIN, Al'bert Vasil'yevich;
KOCHEROV, Anatoliy Vasil'yevich. Prinimali uchastiye:
TSAREVA, T.I.; EYGENBROT, V.M.; YEROFEYEV, A.V., kand.
tekhn. nauk dots., retsenzent; SAKHAROV, Ye.V., st. pre-
pod., retsenzent; MINAYEVA, T.M., red.; PYATNITSKIY,
V.N., tekhn. red.

[Laboratory work on the course "Principles of automatic
control and the automation of production processes."] La-
boratornyi praktikum po kursu "Osnovy avtomatiki i avto-
matizatsii proizvodstvennykh protsessov." [By] S.M.Smirnov
i dr. Moskva, Gizlegprom, 1963. 322p. (MIRA 17:3)

YELIN, A.V., assistant

Selecting the parameters for the tuning of the RU 4-16A electron
regulator according to the frequency characteristics. Nauch. trudy
MTILP no.27:274-281 '63. (MIRA 17:11)

1. Kafedra avtomatiki Moskovskogo tekhnologicheskogo instituta
legkoy promyshlennosti.

YELIN, A.V., assistant

Calculation of the setting of a balanced bridge measuring circuit with a transistor transducer. Nauch. Trudy MITI. No.26;255-258 '62.

Circuits of electronic regulators with a permanent speed actuating mechanism. Ibid.:269-269

1. Kafedra avtomatiki i tsitovskogo tekhnika (shchek). Nauk. Trudy MITI. legkoy promyshlennosti.

YELIN, B.A., inzh.

Mobile electric power plant for supplying power for the transportation of excavators. Energetik 12 no.11240 N '64
(MIRA 18c2)

YELIN, D. Z.

IA 22/49T48

USSR/Medicine -- Penicillin, Therapy Nov/Dec 48
Medicine -- Thrombophlebitis

"Penicillinotherapy for Thrombophlebitic Sepsis,"
D. Z. Yelin, Clinic of Obstet and Gynecol, TsIU,
Min Pub Health USSR, and First Gynecol Hosp,
Moscow City Health Dept, 3½ pp

"Akusher i Ginekol" No 6

Describes cure of 18 cases of thrombophlebitic
sepsis by means of penicillinotherapy. Technique
used was intravenous injection by the drop meth-
od with pressure.

22/49T48

KOGAN, Leonid.M.; YELIN, E.A.; BARMENKOV, A.S.; TORGOV, I.V.

Microbiological transformations of steroids. Report No.4:

Oxidation of pregnenolone by means of Rhizopus nigricans

VNIKhFI-7. Izv. AN SSSR Ser. khim. no.11:2016-2021 N 164

(MIRA 18:1)

1. Institut khimii prirodnnykh soyedineniy AN SSSR.

KOGAN, Leonid,M.; YELIN, E.A.; VOYSHVILLO, N.Ye.

Substrate specificity of microbiological transformations of steroids induced with the help of *Actinomyces albus* 3006. Dokl. AN SSSR 159 no.4:926-927 D '64 (MIRA 18:1)

1. Institut khimii prirodnykh soyedineniy AN SSSR. Predstavлено akademikom M.M. Shemyakinym.

KOGAN, Leonid M.; ULEZLO, I.V.; YELIN, E.A.; BARMENKOV, A.S.; SKRYABIN, G.K.;
TORGOV, I.V.

Study of the transformation of steroids with the help of Actinomyces
albus 3006. Izv. AN SSSR. Ser. biol. no.4:581-584 Jl-Ag '65.

1. Institut khimii prirodykh soyedineniy AN SSSR i Institut mikro-
biologii AN SSSR. (MIRA 18:7)

YELIN, I.; FONAREV, G.; LIKVER, L.

Repair of engine blocks by epoxy resin. Mor. flot 20
no. 12:30 D '60. (MIRA 13:12)

1. Nachal'nik laboratorii TSentral'nogo nauchno-issledovatel'skogo instituta morskogo flota (for Yelin). 2. Nachal'nik otdela flota Antarkticheskikh kitoboynykh flotiliy (for Fonarev). 3. Starshiy inzhener Odesskoy nauchno-issledovatel'skoy stantsii TSentral'nogo nauchno-issledovatel'kogo instituta morskogo flota (for Likver).

(Marine engines--Maintenance and repair)
(Epoxy resin)

SMIRYAGIN, A.; YELIN, I., nauchnyy sotrudnik; KVURT, O., nauchnyy sotrudnik;
ZHUR, N.

New alloy made of secondary nonferrous metals. Mor. flot 22
no. 2:37-38 F '62. (MIRA 15:4)

1. Nachal'nik laboratorii tsvetnykh splavov Gosudarstvennogo nauchno-issledovatel'skogo i proyektnogo instituta obrabotki tsvetnykh metallov (for Smiryagin).
2. Laboratoriya tsvetnykh splavov Gosudarstvennogo nauchno-issledovatel'skogo i proyektnogo instituta obrabotki tsvetnykh metallov (for Yelin, Kvurt).
3. Nachal'nik otdela TSentral'nogo nauchno-issledovatel'skogo instituta morskogo flota (for Zhur).

(Nonferrous alloys)

Yelin, I. A.

137-1957-12-25433

Translation from: Referativnyy zhurnal, Metallurgiya, 1957, Nr 12, p 354 (USSR)

AUTHORS: Yelin, I. A., Sheydin, I. A., Kolenkina, T. A.

TITLE: Methods and Results of Tests for Friction and Wear of Materials Employed in the Frictional Unit of a Deadwood Assembly (Metodika i rezul'taty ispytaniy na treniye i iznos materialov dlya uzla treniya deydvudnogo ustroystva)

PERIODICAL: Tr. Tsentr. n.-i. in-ta morsk. flota, 1956, Nr 5, pp 43-55

ABSTRACT: A description of procedures employed in an investigation of wear of deadwood bearing materials by means of samples (S) made of wood-layer plastics (WLP) or guaiac, under sliding friction, in conjunction with materials used in coating of propeller shafts, which were in the shape of rollers (R) made of bronzes BrOTs 10-2, BroTsS 5-5-5, and stainless austenite steel 1Kh18N9T. The S, which was composed of three parts, was secured in an adapter-yoke, in a manner ensuring maximum perpendicularity of surface fibers of each member of the S, with respect to the axis of rotation of the contacting R. In order to ensure equal pressure upon the S, pressure bolts were tightened with a calibrated torque wrench. The friction surfaces (the sides)

Card 1/2

137-1957-12-25433

137-1957-12-1

Methods and Results of Tests for Friction and Wear of Materials (cont.)

of the S were machined to a class 8 finish on a lathe; the contact surface of the R had a class 9 finish. When ready to be tested the S and the R were broken in together, under a minimum load of 10 kg/cm^2 , which was then raised to 50 kg/cm^2 . The extent of wear of the S was determined by the difference of its linear dimensions, measured with an accuracy of 1μ on an IZV-1 distance gage, before and after each test. The wear of the R was determined by the difference in its weight, measured before and after the test with an accuracy of $\pm 0.0002 \text{ g}$. The surface finish of the S was inspected by means of a binocular microscope MIS-11, with the aid of special casts. Results of comparative wear- and friction tests are shown for materials investigated on the "MI" machine, in which lubrication was accomplished by salt water, and the speed of sliding was 0.5 m/sec . It is shown that R's made of stainless steel are the most durable, but that in that case the guaiac and the WLP are subjected to greater wear than when tested in conjunction with bronze R's, particularly under high specific pressures. Recommendations are given for the selection of coating metal for propeller shafts, and of material for the deadwood assembly.

Card 2/2

1. Bearings-Materials-Test methods 2. Bearing-Materials-
Test results 3. Bearings-Materials-Testing equipment L.G.

YELIN, I.A.

BERSHTYN, V., inzh.; YELIN, I., inzh.; KOGAN, N., inzh.

Feasibility of using epoxyresins for ship repairs. Mor. flot 18 no.1:
10-12 Ja '58.
(MIRA 11:1)

1. TSentral'nyy nauchno-issledovatel'skiy institut morskogo flota.
(Ships, Maintenance and repair)
(Gums and resins, Synthetic)

YELIN, I.; YANKEVICH, I.

Metalized coatings and their use for ship repairs; Inform.sbor.
TSNIIMF no.26:36-65 '58. (MIRA 13:4)

1. Iz opyta Kanonerskogo sudoremontnogo zavoda.
(Metal spraying)
(Ships--Maintenance and repair)

GLIEMAN, L.A.; KOSTROV, Ye.N.; SUPRUN, L.A.; YELIN, I.A.; SHCHERBAKOV, P.S.; ZOBACHEV, Yu.Ye.; DOBRER, V.K.; STRUMPE, P.I., kand.tekhn.nauk, otv. red.; ARAKELOV, V.M., nauchnyy red.; BAMA, N.G., red.; KOTLYAKOVA, O.I., tekhn.red.

[Organization and technology of ship repair; corrosion and mechanical strength of metals] Organizatsiya i tekhnologiya sudoremonta; voprosy korrozionno-mekhanicheskoi prochnosti metallov. Leningrad, Izd-vo Morskoi transport 1959. 76 p. (Leningrad. tsentral'nyi nauchno-issledovatel'skii institut morskogo flota. Trudy no.22) (MIRA 12:5)
(Metals--Testing) (Corrosion and antcorrosives)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7

BERNISHTEYN, V.A.; VISLENEVA, L.O.; YELIN, I.A.

Epoxy resins and their use in ship repair. Trudy TSNIIMP
no.25:3-30 '59. (HLM 12:8)
(Resins, Synthetic) (Ships--Maintenance and repair)

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7"

S/081/61/000/020/061/089
B102/B147

AUTHORS: Yelin, I. A., Zhur, N. V., Likver, L. A., Nunuparov, S. M.

TITLE: Protection of propeller shafts against corrosion by glass plastics based on epoxy resin

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 20, 1961, 264, abstract 20I196 (Byul tekhn.-ekon. inform. M-vo morsk. flota SSSR, no. 1 (40), 1961, 32 - 45)

TEXT: The application of reinforced-glass-fabric coatings produced on the basis of epoxy resins is much cheaper than rubberizing, and reliably protects propeller-shaft surfaces against corrosive destruction.
[Abstracter's note: Complete translation.]

Card 1/1

S/081/61/000/020/060/089
B102/B147

AUTHORS: Bershteyn, V. A., Yelin, I. A., Klenkina, T. A.

TITLE: Epoxy-plastic coatings for corrosion protection of ship structures

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 20, 1961, 263 - 264,
abstract 20I195 (Sudostroyeniye, no. 5, 1961, 41 - 45)

TEXT: In order to protect structural elements in shipbuilding against corrosion, reinforced epoxy coatings with low-temperature ($15 - 25^{\circ}\text{C}$) solidification were proposed and tested under natural conditions. The coatings were found to have good anticorrosive, dielectrical, and mechanical properties. [Abstracter's note: Complete translation.]

Card 1/1

YELIN, I.A.; ZHUR, N.V.; SHEYDIN, I.A.; GORYANSKIY, Yu.V., red. izd-va; DROZHZHINA, L.P., tekhn. red.

[Laminated and decorative materials made of wood; their properties and use in ship repairing] Plastiki i dekorativnye materialy iz drevesiny, ikh svoistva i primenie v sude-remonte. Pod obshchei red. N.V.Zhura. Leningrad, Izd-vo "Morskoi transport," 1961. 141 p. (MIRA 15:2)
(Ships—Maintenance and repair) (Plywood)

FEDOSOV, N. M., prof.; ASTAKHOV, L. G., kand. tekhn. nauk; KRUPIN, A. V.,
kand. tekhn. nauk; ARKHANGEL'SKAYA, K. Yu., inzh.; ARKHANGEL'SKIY,
A. V., inzh.; YELIN, I. I., inzh.; KONTSEVAYA, Ye. M., inzh.

Investigating specific pressure during the cold rolling of
high-alloy steel. Sbor. Inst. stali i splav. no. 40:107-129
'62. (MIRA 16:1)

(Rolling(Metalwork))
(Pressure--Measurement)

L 3720-66 EWT(m)/EPF(c)/EWP(j)/T/EVA(c)/ETG(m) RPL WU/RM
ACC NR: AP5025970 SOURCE CODE: UR/0190/65/007/010/1826/1829

AUTHOR: Fedotcva, O. Ya.; Grozdov, A. G.; Yelin, I. O.

ORG: Moscow Chemical Technology Institute im. D. I. Mendeleyev (Moskovskiy khimiko-tehnologicheskiy institut)

TITLE: Synthesis of copolymeric polyureas

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 7, no. 10, 1965, 1826-1829

TOPIC TAGS: polyurea, copolymeric polyurea, heat resistant plastic, wear resistant plastic

ABSTRACT: Copolymeric polyureas have been prepared by reacting a primary and a tertiary aromatic amine with an aliphatic diisocyanate. It is noted that homopolymeric polyureas are highly heat resistant, hard, and wear resistant but poorly processible because of low solubility and proximity of melting point and decomposition temperature. This work was done to eliminate these drawbacks. The monomers used were 4,4'-diamino-diphenylmethane (I), N,N'diethyl-4,4'-diaminodiphenylmethane (II) and 1,6-hexamethylene diisocyanate. It was found that the properties of the polymers depended on the I/(I + II) mole percent (x). With increasing x, the softening point rose from 70 to 270C, the decomposition temperature dropped from 320 to 260C, and solubility decreased simultaneously. However, these properties did not change in direct proportion to the change in x. The greatest change in properties occurred at high or low x's (and proved

Card 1/2

UDC: 541.64+678.675

39
B

L 3720-66

ACC NR: AP5025970

to be associated with a morphology change). For example, at a small x (20%) the softening point is 220°C (i.e., 40–50°C below the softening point at $x = 100\%$) while the decomposition temperature remained high (300°C). It is concluded that copolymeric polyureas can be prepared which are suitable for processing into end products. Orig. art. has: 1 table and 2 figures. [SM]

SUB CODE: MT/ SUBM DATE: 03Dec64/ ORIG REF: 003/ OTH REF: 000/ ATD PRESS: 1120

Card 2/2

L 10422-67 EWT(m)/EWP(j) IJP(c) RM

ACC NR: AP6029914

(A)

SOURCE CODE: UR/0413/66/000/015/0027/0027

AUTHORS: Dorkovskaya, I. L.; Yelin, I. O.; Posin, L. M.; Mill, L. I.

22

ORG: none

TITLE: A method for obtaining a modified carbamide resin, Class 39, No. 184438
[announced by Scientific Research Institute of Plastics (Nauchno-issledovatel'skiy
institut plasticheskikh mass)]

SOURCE: Izobret prom obraz tov zn, no. 15, 1966, 87

TOPIC TAGS: urea, resin, carbamide, formaldehyde, furfural

ABSTRACT: This Author Certificate presents a method for obtaining a modified carbamide resin based on urea, formaldehyde, and furfural. To increase the resistance of the resin to water, diatomic phenolresorcinol is added to the resin in the amount of 5--10% by weight of urea.

SUB CODE: 07, 11/ SUBM DATE: 26Nov64

Card 1/1

UDC: 678.652'41'21'375-9:547.565.2

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7"

"APPROVED FOR RELEASE: 09/01/2001 CIA-RDP86-00513R001962520018-7

APPROVED FOR RELEASE: 09/01/2001 CIA-RDP86-00513R001962520018-7"

KANTSUR, M.Ya.; YELIN, I.S.; RUBINOVA, Z.I.

Fauna and phenology of mosquitoes of the genus Aedes in some districts
of White Russia. Med. paraz. i paraz. bol. 34 no.1:22-24 Ja-F '65.
(MIRA 18:8)

YELIN, K.D., inzh.

Spinning with wall thinning. Vest. mashinostr. 43 no.10:
(MIRA 16:11)
55-58 0 '63.

Deceased ✓

S/081/62/000/002/091/107
B157/B110

AUTHORS: Yelin, L. V., Korobtsov, I. M., Khalupovskiy, M. D.

TITLE: Phosphorescence of lubricating oils at liquid oxygen temperature

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 2, 1962, 496, abstract 2M303 (Nauchn. zap. Fiz-matem. fak. Odessk. gos. ped. in-t, v. 22, no. 1, 1958, 63 - 65)

TEXT: Phosphorescence and fluorescence of 11 grades of mineral lubricating oils at liquid O₂ temperature, using a plant of special design were studied. It is shown that phosphorescence becomes less apparent as anti-friction properties of oils increase. [Abstracter's note: Complete translation.] ✓

Leonid Vladimirovich Yelin - deceased 1957

* IN MEMORY OF - Ak Nauk SSSR. In-ta Mashinovedeniya.

Card 1/1 Tsvetye i iznos v mashinakh, v. 14, 1960

p. 290-291

YELIN, M. KH.

"Causes of Trauma in the Anterior of the Throat", Vest. Oto-rino-laringol. No. 4, 1948,

Cand. Med. Sci., Orl. Clinic, Odessa Inst. for Improvement of Doctors. -c1948-.

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7

YELIN, M. KH.

"The Casuistics of a Lateral Pharynx Abscess", Vest. Oto-rino-laringol. No. 2, 1948;

Maj. Med. Sv. Cand. Med. Sci. -c1948-.

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7"

YELIN, M.Kh., kand.med.nauk

Skin and mucous block without drugs in otorhinolaryngological
diseases. Vrach.delo supplement '57:47 (MIRA 11:3)

1. 2-ya otolaringologicheskaya klinika Odesskogo meditsinskogo
instituta (zav.-prof. M.A.Zaritskiy) i ushnoe otdeleniye Odesskoy
gorodskoy klinicheskoy bol'nitsy.
(ACUPUNCTURE) (OTORHINOLARYNGOLOGY)

ZARITSKIY, L.A., prof.; YELIN, M.Kh., kand.med.nauk

Report on the activities of the Odessa City and Province Scientific Society of Otolaryngologists for the year 1958. Zhur. ush., nos. 1 gorl. bol. 19 no.5:88-92 S-0 '59. (MIRA 14:10)

1. Predsedatel' Odesskogo gorodskogo i oblastnogo nauchnogo obshchestva otolaringolov.
(ODESSA PROVINCE—OTOLARYNGOLOGICAL SOCIETIES)

ZARITSKIY, L.A., prof.; YELIN, M.Kh., kand.med.nauk

In memory of Lazar Moiseevich Rozenfel'd; obituary. Vest. otorin.
22 no.1:120 Ja-F '60. (MIRA 14:5)

1. Predsedatel' pravleniya Odesskogo nauchnogo meditsinskogo
obshchestva otolaringologov (for Zaritskiy). Sekretar' pravleniya
Odesskogo nauchnogo meditsinskogo obshchestva otolaringologov (for
Yelin).
(ROZENFEL'D, IAZAR MOISEEVICH, 1872-1959)

GORST, Yu.G.; ELIN, M.V.

On certain essential differences between the matrix and semicontinuous methods of series summation. Bul Ac Pol mat 11 no.1:
9-11 '63

1. Gosudarstvennyi pedagogicheskii institut, Krasnoyarsk,
SSSR. Presented by W.Orlicz.

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7

YELIN, M.V.

(Krasnoyarsk)

Nearly convergent functions. Izv. vys. ucheb. zav., mat. no.6:
49-57 '53
(MIRA 17:8)

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7"

YELIN, M.V. (g. Krasnoyarsk)

Integral summation methods absolutely translational for
finite functions. Izv. vys. ucheb. zav.; mat. no.3351-58 '64.
(MIRA 17:12)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7

GORST, Yu.G.; YELIN, M.V.

A property of almost converging sequences. Sib. mat. zhur. 5 no.3:
712-716 My-Je '64. (MIRA 17:6)

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962520018-7"

VASIL'YEV, V.G.; YELIN, N.D.

Estimated gas reserves in the Soviet Union. Gaz. prom. no.11:
1-4 N '58. (MIRA 11:11)
(Gas, Natural--Statistics)

BOKSERMAN, Yu.I.; BORISOV, A.A.; BROD, I.O.; VASIL'YEV, V.G.; YKLIN, N.D.;
YEROFEEV, N.S.; KUDRYASHOVA, N.M.; L'VOV, M.S.; MIRCHINK, M.Y.;
MURATOVA, A.T.; NEVOLIN, N.V.; SOKOLOV, V.L.; TROFIMUK, A.A.;
YERSHOV, P.R., vedushchiy red.; TROFIMOV, A.V., tekhn.red.

[gas resources of the U.S.S.R.] Gazovye resursy SSSR. Moskva,
Gos.nauchno-tekhn.izd-vo neft. i gorno-toplivnoi lit-ry, 1959.
350 p.

(MIRA 12:8)

(Gas, Natural)

YEROFEEV, N.S.; KOZLOV, A.L.; SAVCHENKO, V.P.; YELIN, N.D.; ALEKSIN, A.G.;
MAKSIMOV, S.P.; DAKHNOV, V.N.; SHMELEV, A.A.; KOZHUKHOV, V.A.;
ANDRIANOV, N.I.; KOPOSOV, I.A.; YEMIKEYEV, P.H.; KALANTAROV, A.P.,
vedushchiy red.; TROFIMOV, A.V., tekhn.red.

[Efficient method of prospecting for gas fields; studies of the
temporary commission of the State Scientific and Technical
Committee of the U.S.S.R.] Ratsional'naia metodika razvedki
gazovykh mestorozhdenii; materialy vremennoi komissii GNTK SSSR.
Moskva, Gos.nauchno-tekhn.izd-vo neft. i gorno-toplivnai lit-ry,
1960. 125 p. (MIRA 13:3)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy nauchno-tehnicheskiy
komitet.

(Gas, Natural) (Prospecting)

BUYALOV, N.I.; VASIL'YEV, V.G.; YELIN, N.D.; YEROFEYEV, N.S.;
L'VOV, M.S.; KLESHCHEV, A.I.; KUDRYASHOVA, N.M.; SOKOLOV, V.L.

Method for evaluating natural gas and petroleum resources. Geol.
nefti i gaza 5 no. 1:14-18 Ja '61. (MIRA 14:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut gaza i
iskusstvennogo zhidkogo topliva (for Vasil'yev, Yelin,
Yerofeyev L'vov, Kudryashova, Sokolov). 2. Vsesoyuznyy nauchno-
issledovatel'skiy geologo-razvedochnyy neftyanoy institut
(for Buyalov, Lkeshchev).

(Petroleum geology) (Gas, Natural—Geology)

VASIL'YEV, V.G.; YELIN, N.D.; YEROFEYEV, N.S.; SOKOLOV, V.L.

Results of gas prospecting for the first three years
of the seven-year plan. Geol. nefti i gaza 6 no.6:1-4
Je '62. (MIGA 15:6)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut prirodnykh
gazov.

(Gas, Natural--Geology)

BUYALOV, N.I.; VASIL'YEV, V.G.; YEROFEYEV, N.S.; KALININ, N.A.;
KLESHCHEV, A.I.; KUDRYASHOVA, N.M.; L'VOV, M.S.; SIMAKOV,
S.N.; YELIN, N.D., nauchnyy red.; CHARYGIN, M.M., nauchnyy
red.; TOKAREVA, T.N., ved. red.; MITROFANOVA, G.M., tekhn.
red.

[Method for evaluating the prospective oil and gas reserves]
Metodika otsenki prognoznykh zapasov nefti i gaza. Lenin-
grad, Gostoptekhizdat, 1962. 81 p. (MIRA 16:3)
(Petroleum geology) (Gas, Natural—Geology)

BUYALOV, N.I.; VASIL'YEV, V.G.; YELIN, N.D.

Basic results of prospecting for oil and gas in the U.S.S.R.
in the first four years of the seven-year plan. Neftgaz,
geol. i geofiz. no.4:3-13 '63 (MIRA 17:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy geologorazvedochnyy
neftyanoy institut, Moskva, i Vsesoyuznyy nauchno-issledovatel'-
skiy institut prirodnogo gaza.

VASIL'YEV, V.G.; YEROFEYEV, N.S.; ANIKEYEVA, I.B.; YELIN, N.D.;
YELOVNIKOV, S.I.; KOLOTUSHKINA, A.P.; L'VOV, M.S.;
MATVIYEVSKAYA, N.D.; MIRONCHEV, Yu.P.; MODELEVSKIY, M.Sh.;
MURATOVA, A.T.; MUSTAFINOV, R.A.; ROZHKOVA, E.L.; SNEGIREVA,
O.V.; STAROSEL'SKIY, V.I.; SYTNIK, N.A.; NEVEL'SHTEYN, V.I.,
ved. red.; YASHCHURZHINSKAYA, A.B., tekhn. red.

[Prospecting for gas fields in the U.S.S.R. during four
years of the seven-year plant] Poiski i razvedka gazovykh
mestorozhdenii v SSSR za chetyre goda semiletki. Leningrad,
Gostoptekhizdat, 1963. 171 p. (MIRA 16:8)
(Gas, Natural--Geology)

AVROV, V.Ya.; BLIRNIKOV, I.A.; BROD, I.O.[deceased]; BUYALOV, N.I.;
VASIL'YEV, V.G.; DMITRIYEV, Ye.Ya.; YELIN, N.D.; YEROFEYEV,
N.S.; ZUBOV, I.P.; KALININ, N.A.; KULRYASHOVA, N.M.; MAKSEMOV,
S.P.; L'VOV, M.S.; MIRCHINK, M.F.; OVCHINNIKOVA, T.G.;
SIMAKOV, S.N.; TROFIMUK, A.A.; TKHOSTOV, B.A.; FEDOTOVA, M.I.,
ved. red.

[Predicting gas potential of the U.S.S.R.] Prognoz gazonosno-
sti SSSR. Leningrad, Gostoptekhizdat, 1963. 175 p.
(MIRA 17:4)

YELIN, N.D.

Oil and gas prospecting in the North Sea region. Neftegaz.
geol. i geofiz. no.4:54-56 '65. (MIRA 18:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut prirodnogo
gaza.

L 6400-66 EWT(m)/EWP(t)/EWP(b) IJP(c) JD

ACC NR: AP5025720

SOURCE CODE: UR/0286/65/000/018/0074/0074

INVENTOR: Sandler, R. A.; Yelin, N. M.; Podzorov, B. N.; Abramov, D. S.

44,55

44,55

44,55

44,55

44

23

ORG: none

TITLE: A method of producing titanium-aluminum alloys. Class 40, No. 174792

44,11 27 44,55,2

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 18, 1965, 74

18

TOPIC TAGS: alloy, titanium alloy, aluminum containing alloy

ABSTRACT: This Author Certificate introduces a method of obtaining titanium-aluminum alloys with 15—27% aluminum by reduction of titanium tetrachloride with magnesium. To simplify the process and reduce its cost, the titanium tetrachloride is first reduced with metallic aluminum in the presence of solid sodium chloride and then reduced with metallic magnesium or sodium. [ND]

SUB CODE: MM, IE/ SUBM DATE: 22May64/ ATD PRESS: 4140

Card 1/1

UDC: 669.295.018.5

0901 1718

YELIN O. [G.]

PA 194T107

USSR/Radio - Literature Aug 51

"More Good Books Are Needed on Radio Engineering," O. Yelin

"Radio" No 8, pp 17-19

Soviet 1950 book publication was 830,000,000 copies, 84% more than in 1940. Gosenergoizdat commended for it, "Popular Radio Library" series. Pamphlets published on exhibits at the 8th All-Union Radio Exhibition were very poor.

194T107

YELIN, O.

IA-236T34

USSR/Electronics - Literature Jun 52
Wired Radio Centers

"A Useful Book," O. Yelin

"Radio" No 6, pp 62, 63

Favorable review of G. A. Kazakov's new book "Our Country - The Birthplace of Radio." Book states that there were more than 11,000 wired radio centers in operation before the war. More than 1,000 were built in 1950 and more than 2,000 in 1951. Book also gives facts on development of radio broadcasting and radiofication in the People's Democracies and in the Chinese People's Republic.

236T34

TELIN, O.G.; CHIGOR'YEVA, A.I., redaktor; MUNTYAN, T.P., tekhnicheskij re-
daktor.

[Radio; a collection of articles from the magazine "Radio."] Radio;
sbornik statej iz zhurnala "Radio." Moskva, Izd-vo DossAAF, 1954.
(MIRA 8:5)
213 p.
(Radio)

LEVITIN, Ye.A.; BERG, A.I., redaktor; DZHIGIT, I.S., redaktor; YELIN, O.O.,
redaktor; KULIKOVSKIY, A.A., redaktor; MOXHZHEVELOV, B.N., redaktor;
SMIRNOV, A.D., redaktor; TARASOV, P.I., redaktor; TRAMM, B.P., re-
daktor; CHECHIK, P.O., redaktor; SHAMSHUR, V.I., redaktor; SPLITZHEV-
SKIY, I.I., redaktor; FRIDKIN, A.M., tekhnicheskiy redaktor.

[Superheterodyne] Supergeterodin. Moskva, Gos. energ. izd-vo, 1954.
11 p. (Massovaia radiobiblioteka, no. 200) [Microfilm] (MLRA 7:11)
(Radio--Receivers and reception)

OYFA, I.L.; BERG, A.I., redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G.,
redaktor; KULIKOVSKIY, A.A., redaktor; MOZHKEVELOV, B.N., redaktor;
SMIRNOV, A.D., redaktor; TARASOV, F.I., redaktor; TRAMM, B.F., re-
daktor; CHECHIK, P.O., redaktor; SHAMSHUR, V.I. redaktor; MALININ,
R.M., redaktor; FRIDKIN, A.M., tekhnicheskij redaktor.

[Intercom loud-speaker apparatus] Peregovornee gromkogovorilashchee
ustroistvo. Moskva, Gos. energ. izd-vo, 1954. 14 p. (Massovaia ra-
diobiblioteka, no. 202) (MIRA 7:11)
(Loud-speakers)

STARIKOV, I.G.; SPIZHEVSKIY, I.I., redaktor; TAHASOV, F.I., redaktor;
BERG, A.I., redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor;
KULIKOVSKIY, A.A., redaktor; SMIRNOV, A.D., redaktor; TRAMM, B.F.,
redaktor; CHECHIK, P.O., redaktor; SHAMSHUR, V.I., redaktor; FRIDKIN,
A.M., tekhnicheskiy redaktor.

[Television set with few tubes] Malolampovyj televizor. Pod red. L.I. Spizhevskogo. Moskva, Gos. energ. izd-vo, 1954. 37 p. (Massovaja radiobiblioteka, no.197) [Microfilm] (MLRA 7:12)
(Television)

NELEPETS, V.S.; BERG, A.I., redaktor; DZHIGIT, I.S., redaktor; YELIN, O.O.,
redaktor; KULIKOVSKIY, A.A., redaktor; MOZHZEVYLOV, B.N., redaktor;
SMIRNOV, A.D., redaktor; TARASOV, F.I., redaktor; TRAMM, B.F.,
redaktor; CHECHIK, P.O., redaktor; SHAMSHUR, V.I., redaktor;
YAKOBSON, A.Kh., redaktor; FRIDKIN, A.M., tekhnicheskiy redaktor

[Radio engineering in railroad transportation] Radiotekhnika na
zheleznyodorozhnom transporte. Moskva, Gos. energ. izd-vo, 1954.
43 p. (Massovaya radiobiblioteka, no. 196) [Microfilm] (MLRA 7:10)
(Radio) (Railroads--Electronic equipment)

752/14, d. 2.

GOL'DREYER, I.G.; YAKOBSON, A.Kh., redaktor; BERG, A.I., redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor; KULIKOVSKIY, A.A., redaktor; MOLEZHNEVLOV, B.N., redaktor; SMIRNOV, A.D., redaktor; TATAROV, F.I., redaktor; TRAMM, B.F., redaktor; CHECHIK, P.O., redaktor; SHAHMUR, V.I., redaktor; VORONIN, K.P., tekhnicheskiy redaktor.

[Feedback electronic cascades] Lampovyj kaskad s obratnoj sviaz'ju.
Moskva, Gos. energeticheskoe izd-vo, 1954. 86 p. (Massovaja radiobiblioteka, no. 201)

(MLRA 7:11)

(Amplifiers, Electron tube)

SUTYAGIN, V.Ya.; BERG, A.I., redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor; KULIKOVSKIY, A.A., redaktor; MOZHZHEVELOV, B.N., redaktor; SMIRNOV, A.D., redaktor; TARASOV, P.I., redaktor; TRAMM, B.F., redaktor; CHENCHIK, P.O., redaktor; SHAMSHUR, V.I., redaktor; KRIVOSHEYEV, I.I., redaktor; FRIDKIN, A.M., tekhnicheskiy redaktor.

[Circuits of television receiver scanning devices] Schemy razvertyvaliushchikh ustroistv televisionnykh priemnikov. Moskva, Gos. energ. izd-vo, 1954. 93 p. (Massovaya radiobiblioteka, no. 199) (MIRA 7:9)
(Television--Receivers and reception)

PLONSKIY, A.F.; BERG, A.I., redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G.,
redaktor; KULIKOVSKIY, A.A., redaktor; SMIRNOV, A.D., redaktor;
TARASOV, F.I., redaktor; TRAMM, B.P., redaktor; CHECHIK, P.O.,
redaktor; SHASHMUR, V.I., redaktor; SENCHENKOV, A.P., redaktor;
SKVORTSOV, I.M., tekhnicheskiy redaktor

[Quartz resonators] Kvantsevye rezonatory. Moskva, Gos. energ.
izd-vo, 1954. 94 p. [Microfilm] (MLRA 7:10)
(Electric resonators)

YELIN, O.G.

BYALIK, Davriil Iosifovich; HERG, A.I., redaktor; DZHIGIT, I.S., redaktor;
YELIN, O.G., redaktor; KULIKOVSKIY, A.A., redaktor; MOZHZHEVELOV, B.N.,
redaktor; SMIRNOV, A.D., redaktor; TARASOV, F.I., redaktor; TRAMM,
B.F., redaktor; CHECHIK, P.O., redaktor; SHAMSHUR, V.I., redaktor;
KRIVOSHIBYEV, M.I., redaktor; SKVORTSOV, I.M., tekhnicheskiy redaktor

[The technique of television transmission] Tekhnika televizionnykh
peredach. Moskva, Gos. energ. izd-vo, 1954. 96 p. (Massovaia radio-
biblioteka, no.205) (MLRA 8:3)

(Television-Transmitters and transmission)

LEVITIN, Yefim Alekseyevich; KURARKIN, L.V., redaktor; BERG, A.I., redaktor;
DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor; KULIKOVSKIY, A.A., re-
daktor; MOZHZHEVELOV, B.N., redaktor; SMIRNOV, A.D., redaktor; TABA-
SOV, F.I., redaktor; TRAMM, B.F., redaktor; CHECHIK, P.O., redaktor;
SHAMSUR, V.I., redaktor; VORONIN, K.P., tekhnicheskij redaktor.

[Electron tubes] Elektronnye lampy. Pod red. L.V.Kubarkina. Moskva,
Gos.energ. izd-vo, 1954. 101 p. (Massovaja radiobiblioteka, no.209)
[Microfilm] (MLRA 8:2)

(Electron tubes)

PRESMAN, Aleksandr Samuilovich; BERG, A.I., redaktor; DEHIGIT, I.S.,
redaktor; YELIN, O.G., redaktor; KULIKOVSKIY, A.A., redaktor;
SMIRNOV, A.D., redaktor; TARASOV, V.I., redaktor; TRAMM, B.Y.,
redaktor; CHECHIK, I.O., redaktor; SHAMSHUR, V.I., redaktor;
KONASHIESKIY, A.D., redaktor; LARIONOV, G.Ye., tekhnicheskij
redaktor.

[Centimeter waves] Santimetrovye volny. Moskva, Gos. energ. izd-
vo, 1954. 119 p. (Massovaia radiobiblioteka, no. 203) [Microfilm]
(Radio waves) (MLRA 7:11)

YELIN, O.G.
LOGINOV, V.N., Viktor Nikolayevich; HERG, A.I., redaktor; DZHIGIT, I.S.,
redaktor; YELIN, O.G., redaktor; KULIKOVSKIY, A.A., redaktor;
MOZHZHENEVLOV, B.N., redaktor; SMIRNOV, A.D., redaktor; TARASOV, P.I.,
redaktor; TRAMM, B.F., redaktor; CHECHIK, P.O., redaktor; SHAMSHUR,
V.I., redaktor; VAYNSHEBYN, S.S., redaktor; VORONIN, K.P., tekhnicheskiy
redaktor

[Radio measurements] Radiozmerenija. Moskva, Gos. energ. izd-vo,
1954. 119 p. (Massovaia radiobiblioteka, no.208) (MLRA 8:3)
(Radio measurements)

Yel' Yashkevich, D.G.
YEL' YASHEKOVICH, Samuil Abramovich; BERG, A.I., redaktor; DZHIGIT, I.S.,
redaktor; YELIN, O.G., redaktor; KULIKOVSKIY, A.A., redaktor;
MOZHZHENEVLOV, B.N., redaktor; SMIROV, A.D., redaktor; TARASOV,
P.I., redaktor; TRAMM, B.Y., redaktor; CHECHIK, P.O., redaktor;
SHAMSHUR, V.I., redaktor; NIKOLAYEVSKIY, I.F., redaktor;
SKVORTSOV, I.M., tekhnicheskij redaktor

[Eliminating defects from television receivers] Ustranenie neispravno-
stei v televizore. Moskva, Gos. energ. izd-vo, 1954. 151 p. (Masso-
vaja radiobiblioteka, no.211) (MLRA 8:3)
(Television—Repairing)

YELIN, O.G.

STEPANOV, Sergey; KORNDORF, S.F., redaktor; BERG, A.I., redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor; KULIKOVSKIY, A.A., redaktor; MOZHZEVELOV, B.N., redaktor SMIRNOV, A.D., redaktor; TARASOV, F.I., redaktor; TRAMM, B.P., redaktor; CHECHIK, P.O., redaktor; SHAMSHUR, B.I., redaktor; VORONIN, K.P., tekhnicheskiy redaktor

[Calculations for measuring instruments] Raschet izmeritel'nykh priborov. Moskva, Gos. energeticheskoe izd-vo, 1955. 30 p. (Massovaia radiobiblioteka, no.215) [Microfilm]
(Measuring instruments)

GOL'DREYER, Iona Gutelevich; ROGINSKIY, Vladimir Yur'yevich; HERG,A.I., redaktor; DZHIGIT,I.S., redaktor; IMLIN,O.G., redaktor; KULIKOV-SKIY,A.A., redaktor; MOZHZHENEVLOV,B.N., redaktor; SMIRNOV,A.D., redaktor; TARASOV,F.I., redaktor; TRAMM,B.F., redaktor; CHECHIK, P.O., redaktor; SHAMSHUR,V.I., redaktor; LEVITIN,Ye.A., redaktor; VORONIN,K.P., tekhnicheskiy redaktor

[Self-righting amplifier systems] Samovypriamliaiushchie usiliteli'-nye skhemy. Moskva, Gos.energ.izd-vo, 1955. 46 p. (MLRA 9:3)
(Amplifiers, Electron-tube)

YELIN, O.G.,
ROGINSKIY, Vladimir Yur'yevich; FEYDEL'S, Viktor Zinov'yevich; BERG, A.I.,
redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor; KULIKOVSKIY,
A.A., redaktor; MOZHZHEVYLOV, B.N., redaktor; SMIRNOV, A.D., redaktor;
TARASOV, F.I., redaktor; TRAMM, B.F., redaktor; CHIRCHIK, P.O., redaktor;
SHAMSHUR, V.I., redaktor; KUBARKIN, L.V., redaktor; LARIONOV, G.Ye.,
tekhnicheskiy redaktor

[From microphone to loudspeaker] Ot mikrofona do gromkogovoritelia.
Moskva, Gos. energ. izd-vo, 1955. 63 p. (Massovaia radiobiblioteka,
no.233) (MLRA 9:2)

(Radio)

YELIN, O.G.

LEVITIN, Yefim Alekseyevich; KONASHINSKIY, D.A., redaktor; BERG, A.I.,
redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor;
KULIKOVSKIY, A.A., redaktor; MOZHKEVICH, B.N., redaktor;
SMIRNOV, A.D., redaktor; TARASOV, F.I., redaktor; TRAMM, B.F.,
redaktor; CHECHIK, P.O., redaktor; SHAMSHUR, V.I., redaktor.
VORONIN, K.P., tekhnicheskij redaktor.

[Tuning of radio receivers] Malazhivanie priemnikov. 2-e izd.,
perer. Moskva, Gos. energ. izd-vo, 1955. 87 p. (Massovaia
radiobiblioteka, no. 225) (MIRA 9:2)
(Radio -- Receivers and reception)

YELIN, O.G.

PEDOTOV, Yakov Andreyevich; KULIKOVSKIY, A.A., redaktor; BERG, A.I.,
redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor; MOZH-
ZHEVELOV, B.N., redaktor; SMIRNOV, A.D., redaktor; TARASOV, F.I.,
redaktor; TRAMM, B.P., redaktor; CHECHIK, P.O., redaktor;
SHASHMUR, V.I., redaktor.; LARIONOV, G.Ye., tekhnicheskiy redaktor

[Crystal triodes] Kristallicheskie triody. Moskva, Gos.energ.
izd-vo, 1955. 94 p. (Massovaia radiobiblioteka no.216)
(Electron tubes) (MLRA 8:9)

SHADOV,R.; CHECHIK,P.O.[translator]; BERG,A.I., redaktor; UZHIGIT,I.S., redaktor; YELIN,O.G., redaktor; KULIKOVSKIY,A.A., redaktor; MOZH-ZHEVYLOV,B.N., redaktor; SMIRNOV,A.D., redaktor; TARASOV,F.I., redaktor; TRAMM,B.F., redaktor; SHAMSHUR,V.I., redaktor; LEVITIN, Ye.A., redaktor; VORONIN,K.P., tekhnicheskij redaktor

[Testing apparatus for repairing radio receivers. Translated from the German] Ispytatel'naia apparatura dlia remonta priemnikov. Perer.perevod s nemetskogo P.O.Chechika. Moskva, Gos.energ.izd-vo 1955. 125 p. (Massovaia radiobiblioteka, no.232) (MIRA 9:3)
(Radio--Receivers and reception)

YELIN, O.G.

SOMINSKIY, Monus Samuilovich; BROD, A.M., redaktor; BERG, A.I., redaktor;
DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor; KULIKOVSKIY, A.A.,
redaktor; MOZHZHELEV, B.N., redaktor; SMIRNO, A.D., redaktor; TA-
RASOV, F.I., redaktor; TRAMM, B.F., redaktor; CHECHIK, P.O., redaktor;
SHAMSHUR, V.I., redaktor; LARIONOV, G.E., tekhnicheskiy redaktor

[Semiconductors and their use] Poluprovodniki i ikh primenie.
Moskva, Gos.energ. izd-vo, 1955. 127 p. (Massovaia radiobiblioteka,
no.236) (MLRA 9:2)

(Semiconductors)

MAZEL', Klementiy Borisovich; BRODDE, A.M., redaktor; BERG, A.I.,
redaktor; DZHIGIT, I.S., redaktor; YELIN, O.G., redaktor; KULIKOVSKIY,
A.A., redaktor; MOZHZHDEVLOV, S.V., redaktor;
SMIRNOV, A.D., redaktor; TARASOV, F.I., redaktor; TRAMM, B.F.,
redaktor; CHECHIK, P.O., redaktor; SHAMSHEUR, V.I.: redaktor;
SKVORTSOV, I.M., tekhnicheskij redaktor

[Voltage and current stabilizers] Stabilizatory napriashenija i
toka. Moskva, Gos.energ.izd-vo, 1955. 133 p. (Massovaja radio-
biblioteka, no.218)
(Voltage regulators)

Yelin, O.G.

ROZENBLATT, Moisey Aronovich; BERG, A.I., redaktor; DZHIGIT, I.S.,
redaktor; YELIN, O.G., redaktor; KULIKOVSKIY, A.A., redaktor;
MOZHZHESLOV, B.N., redaktor; SHIRNOV, A.D., redaktor; TARASOV,
F.I., redaktor; TRAMM, B.F., redaktor; CHICHIK, P.O., redaktor;
SHAMSHUR, V.I., redaktor; SENCHEKOV, A.F., redaktor; VORONIN,
K.P., tekhnicheskij redaktor.

[Magnetic amplifiers] Magnitnye usiliteli. Moskva, Gos.energ.
izd-vo, 1955. 135 p. (Massovaja radiobiblioteka, no.230)
(Magnetic amplifiers) (MLRA 8:11)

YELIN, O.G., redaktor; DZHIGIT, I.S., redaktor;
KULIKOVSKIY, A.A.; BERG, A.I., redaktor; MOSZHEVELOV, G.N., redaktor; SMIRNOV,
A.D., redaktor; TARASOV, A.D., redaktor; TRAMM, B.Y., redaktor.
CHECHIK, P.O., redaktor; SHAMSHUR, V.I., redaktor; ZHUKHOVITSKIY, B. Ya., redaktor;
FRIDKIN, A.M., tekhnicheskiy redaktor

[Manual for the amateur radio operator] Spravochnik radioliubitelja. Moskva, Gos.energ.izd-vo, 1955. 256 p. (Massovaia radiobiblioteka, no.222)
(Radio-Amateur's manuals)